Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	15172	(mov$4 rota$6) near10 (keyboard (key adj board) keypad (key adj pad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 10:42
S3	6172	S2 same position$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 13:34
S4	2354	S3 same display$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 12:37
S5	142	S4 same (detach$4 remov$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 12:38
S6	6	("5386106"|"5565671"|"6118432" |"6373501"|"6431450"|"6593914").PN.	US-PGPUB; USPAT	OR	ON	2005/08/03 12:43
S7	116	S5 and @ad<="20031229"	US-PGPUB; USPAT	OR	ON	2005/08/03 13:35
S8	128	S2 same orient$6 near10 position$4 near10 (keyboard (key adj board) keypad (key adj pad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 13:34
S9	19	S8 and (sens$4 detect$4) near10 position$4 near10 (keyboard (key adj board) keypad (key adj pad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 13:35
S10	16	S9 and @ad<="20031229"	US-PGPUB; USPAT	OR	ON	2005/08/07 10:52
S11	5142	(lock$4 unlock$4 un-lock$4) near10 (keyboard (key adj board) keypad (key adj pad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 10:50
S12	15200	(mov$4 rota$6) near10 (keyboard (key adj board) keypad (key adj pad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 10:50

S15	1065	S11 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 10:43
S16	690	(lock$4 unlock$4 un-lock$4) near10 position near10 (keyboard (key adj board) keypad (key adj pad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 10:51
S17	667	S11 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 10:43
S18	50806	(ic chip smart) near10 read$4	US-PGPUB; USPAT	OR	ON	2005/08/07 11:53
S19	14	S17 and S18	US-PGPUB; USPAT	OR	ON	2005/08/07 10:44
S21	18946	(remov$4 mov$4 rota$6) near10 (keyboard (key adj board) keypad (key adj pad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 11:53
S22	674	(lock$4) near10 position near10 (keyboard (key adj board) keypad (key adj pad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 10:51
S23	252	(unlock$4 un-lock$4) near10 (inoperat$4 operat$4 function$4 inactive) near10 (keyboard (key adj board) keypad (key adj pad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 10:58
S24	19	S21 and S22 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 10:52
S26	18	S24 and @ad<="20031229"	US-PGPUB; USPAT	OR	ON	2005/08/07 11:14
S27	102	(unlock$4 un-lock$4) near10 (inoperat$4 disable function$4 inactive) near10 (keyboard (key adj board) keypad (key adj pad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 11:15
S28	18	S21 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 11:01

S29	6636	user near10 (profile data reference) same (keyboard (key adj board) keypad (key adj pad) display$4) near10 (orient$4 position$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 11:03
S30	3875	user near10 (profile data reference) near30 (keyboard (key adj board) keypad (key adj pad) display$4) near10 (orient$4 position$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 11:04
S31	352	S21 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 11:04
S32	11	S16 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 11:04
S33	87	S27 and @ad<="20031229"	US-PGPUB; USPAT	OR	ON	2005/08/07 11:17
S35	0	(unlock$4 un-lock$4) near10 positon$4 near10 (keyboard (key adj board) keypad (key adj pad)) adj30 (inoperat$4 disable function$4 inactive work$4 operat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 11:16
S36	110	(unlock$4 un-lock$4) near10 (keyboard (key adj board) keypad (key adj pad)) adj30 (inoperat$4 disable function$4 inactive work$4 operat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 11:17
S37	94	S36 and @ad<="20031229"	US-PGPUB; USPAT	OR	ON	2005/08/07 11:34
S38	611	S18 and S21	US-PGPUB; USPAT	OR	ON	2005/08/07 11:35
S39	23	S18 same S21	US-PGPUB; USPAT	OR	ON	2005/08/07 11:31
S40	9	S18 and S31	US-PGPUB; USPAT	OR	ON	2005/08/07 11:34
S41	562	((235/462.45) or (235/472.1)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/07 11:34
S42	537	S41 and @ad<="20031229"	US-PGPUB; USPAT	OR	ON	2005/08/07 11:53
S43	16	S42 and S21	US-PGPUB; USPAT	OR	ON	2005/08/07 11:35

S44	31795	(record$4 sav$4 stor$4) near10 (keyboard (key adj board) keypad (key adj pad) display$4) near10 (orient$4 position$4 configur$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 12:04
S45	1580	S21 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 12:04
S46	69	(ic chip smart) near10 card and S45	US-PGPUB; USPAT	OR	ON	2005/08/07 11:53
S47	64	S46 and @ad<="20031229"	US-PGPUB; USPAT	OR	ON	2005/08/07 13:13
S48	1855	(record$4 sav$4 stor$4) near10 (keyboard (key adj board) keypad (key adj pad) display$4) near10 layout$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 12:04
S49	63	S21 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 12:04
S50	54	S49 and @ad<="20031229"	US-PGPUB; USPAT	OR	ON	2005/08/07 12:04
S51	1390	dynamic$4 near10 sens$4 near10 position$4	US-PGPUB; USPAT	OR	ON	2005/08/07 13:14
S52	3	dynamic$4 near10 sens$4 near10 position$4 near10 (keyboard (key adj board) keypad (key adj pad))	US-PGPUB; USPAT	OR	ON	2005/08/07 13:16
S53	887	dynamic$4 near5 sens$4 near10 position$4	US-PGPUB; USPAT	OR	ON	2005/08/07 13:16
S54	14	dynamic$4 near10 sens$4 near10 position$4 same (keyboard (key adj board) keypad (key adj pad))	US-PGPUB; USPAT	OR	ON	2005/08/07 13:16